## County of Riverside

## DEPARTMENT OF ENVIRONMENTAL HEALTH

www.rivcoeh.org

UBJECT Kentrickef Fried Chicken  DORRESS 8/169 Highway III, Indio 9201 DISTRICT 38  INSPECTOR LYMONTHY (KOVOS)  A Complaint inwastigation was conducted for the purplion of grass interceptor was acted of facility.  The factoring was observed:  - Valley Sanitary District Angacter was an site.  - Crecitie interceptor observed:  - Facility Cannot use water at the time due to the outstan.  - Facility Industarily Closed Sign posted on door.  - Taility Industarily Closed Sign posted on door.  - April togen (the Closed Sign posted on door.  - April togen (the Closed Sign posted on door.  - April togen (the Closed Sign posted on door.  - April togen (the Closed Sign posted on door.  - April togen (the Closed Sign posted on door.  - April togen (the Condition of the Control of the C	SUPPLEMENTAL REPORT TO SAN. FORM #	_ DATE 10/9/19
EMARKS:  A Complaint investigation was conducted for the Duerflow of grade interceptor outside of facility.  The fallowing was observed:  - yalley Sanitary District anspector was on site - Creation interceptor outside of facility.  - facility Sanitary District anspector was on site - Creation interceptor of the others.  - facility farmat use water at this time due to the ownth path managers on site and another.  - spoke with both managers on site and another.  - A pumber was called to find out where pipes due clagging.  - No sensing mack up was observed inside facility.  - Faculty must remain come to our Office at 47958 trabiast.  - Duner of the facility must come to our Office at 47958 trabiast. Sto. A Indio for an office at 47958 trabiast. Sto. A Indio for an office at from Valley Sonitary District are adducted.  - Centact our Department ance the First chair pumber.  Centact our Department ance the First chair been resolved. (740) 363 8288	SUBJECT Kenticker Fried Chicken	
EMARKS:  A Complaint investigation was conducted for the Duerflow of grade interceptor outside of facility.  The fallowing was observed:  - yalley Sanitary District anspector was on site - Creation interceptor outside of facility.  - facility Sanitary District anspector was on site - Creation interceptor of the others.  - facility farmat use water at this time due to the ownth path managers on site and another.  - spoke with both managers on site and another.  - A pumber was called to find out where pipes due clagging.  - No sensing mack up was observed inside facility.  - Faculty must remain come to our Office at 47958 trabiast.  - Duner of the facility must come to our Office at 47958 trabiast. Sto. A Indio for an office at 47958 trabiast. Sto. A Indio for an office at from Valley Sonitary District are adducted.  - Centact our Department ance the First chair pumber.  Centact our Department ance the First chair been resolved. (740) 363 8288	ADDRESS 81769 Highway III Indio 9201	
A Complaint investigation was conducted for the priestow of great interceptor wescale of facility.  The fallowing was observed:  - valley sanitary District anspector was on site.  - crecine interceptor opperated to be overflowing, with spilling onto the storest.  - facility cannot use water at this time due to the owntow.  - facility when tarily closed sign posted on door.  - spoke with both managers on site and water.  - April to gen (ma (anch) is aware of the sixthin - A punker was called to find out where pipes due clagging.  - No sendage back up was doserned inside facility.  - Faculty must employee are aware of per mangera, procedural practicis.  - Duner of the facility must come to our office at 47958 tradia st. Sto. I Indio for an office at 47958 tradia st. Sto. I Indio for an office at from valley sonitary District are detained.  - Facility must remain closed untill appraisable from valley sonitary District are detained.  - Centact our Department once the issue shaw been resolved. (Two) 363-8388	INSPE	
- Valley Saritary District Inspector was an site  - Greathe interceptor operated to be overflowing, water spilling onto the street.  - facility Cannot use water at this time due to the owntain.  - Facility Voluntarily Closed Sign posted on door.  - Spoke with both managers on site and water  - April Holyin (Area Carch) is aware of the sixualin  - A pumber was called to find out where pipes are clogging.  - No serving hack up was observed inside facility - Ensure set Employees are aware of pest management procedurat practices.  - Disner of the facility must come to our Office at 47958 trabia st., Ste. A India for an office them vailey spritcing District are extrained from Vailey spritcing District are extrained - braids pump ticket and invoice from plumber.  Centact our Department ance the issue shows been resolved (740) 363-8280	REMARKS:	
- Valley Saritary District Inspector was an site  - Greathe interceptor operated to be overflowing, water spilling onto the street.  - facility Cannot use water at this time due to the owntain.  - Facility Voluntarily Closed Sign posted on door.  - Spoke with both managers on site and water  - April Holyin (Area Carch) is aware of the sixualin  - A pumber was called to find out where pipes are clogging.  - No serving hack up was observed inside facility - Ensure set Employees are aware of pest management procedurat practices.  - Disner of the facility must come to our Office at 47958 trabia st., Ste. A India for an office them vailey spritcing District are extrained from Vailey spritcing District are extrained - braids pump ticket and invoice from plumber.  Centact our Department ance the issue shows been resolved (740) 363-8280	A complaint investigation was conducted for the	
- Valley Saritary District Inspector was an site  - Greathe interceptor operated to be overflowing, water spilling onto the street.  - facility Cannot use water at this time due to the owntain.  - Facility Voluntarily Closed Sign posted on door.  - Spoke with both managers on site and water  - April Holyin (Area Carch) is aware of the sixualin  - A pumber was called to find out where pipes are clogging.  - No serving hack up was observed inside facility - Ensure set Employees are aware of pest management procedurat practices.  - Disner of the facility must come to our Office at 47958 trabia st., Ste. A India for an office them vailey spritcing District are extrained from Vailey spritcing District are extrained - braids pump ticket and invoice from plumber.  Centact our Department ance the issue shows been resolved (740) 363-8280	overflow of great interceptor outside of facility.	
- Greetse interceptor opperused to be overflowing, water spilling onto the street.  - facility Cannot use water at this time due to the owerlaw.  - Facility Supplied Closed Sign posted on down.  - Spoke with both managers on site and mount of the siketion.  - April Holyen (Ana Carch) is aware of the siketion.  - A promber was called to find out where pipes are clagging.  - No subage back up was observed inside facility.  - Ensure All Employees are aware of best management procedurations.  - Owner of the facility must come to our Office at 47958 trabiast. See A India for an office at 47958 trabiast.	The fallowing was oppowed:	
- Greetse interceptor opperused to be overflowing, water spilling onto the street.  - facility Cannot use water at this time due to the owerlaw.  - Facility Supplied Closed Sign posted on down.  - Spoke with both managers on site and mount of the siketion.  - April Holyen (Ana Carch) is aware of the siketion.  - A promber was called to find out where pipes are clagging.  - No subage back up was observed inside facility.  - Ensure All Employees are aware of best management procedurations.  - Owner of the facility must come to our Office at 47958 trabiast. See A India for an office at 47958 trabiast.	- Valley Sanitary District unspecto	Y was on site.
- facility (Aluntarily Closed Sign posted on doors - Facility (Aluntarily Closed Sign posted on doors - Spoke with 19th managers on Site and worth - April Holgun (Ana Cooch) saware of the situation - A dumber was called to find not where pipes due clagging - No sewage back up was doserved inside fecility - Ensure All Employees are aware of per managera procedurat practices.  - Owner of the facility must come to our Office at 47950 trabiast, Sto. A India for an office at 47950 trabiast. Sto. A India for an office at 47950 per pointary District are detained from Vailey Society District are detained - Opmide pemp ticket and invoice from plumber.  Centact our papartment once the issue show been resolved. (No.) \$0.3-8.280	- Greate interceptor oppered to be overflewing,	
- Facility voluntarily closed. Sign posted on door.  - Spoke with both managers on site and worth?  - April Hogen (Ama Corch) is aware a the sixution.  - A plumber was called to find out where pipes dre clagging.  - No sewage back up was observed inside textility.  - Ensure Act Employees are aware a pest management procedural practices.  - Owner of the facility must come to our Office at 47950 trabia st., Sto. It India for an office at 47950 trabia st., Sto. It India for an office at 47950 must remain closed untill appraisable from Valley Southary District are distained.  - Openide pump ticket and invoice from plumber.  Contact our Department once the issue chas been resolved. (740) 363-8380	water spilling onto the street.	
- Facility voluntarily closed Sign posted on door.  - Spoke with both managers on site and marker  - April Hogen (Ana Carch) is aware of the situation  - A pumber was called to find out where pipes  are clagging.  - No sewage back up insofreened inside fecility  - Ensure All Employees are aware of pest manageron  procedures practices.  - Owner of the facility must come to our Office at  47950 trabiast, sto A Indio for an office at  47950 trabiast, sto A Indio for an office  Measing.  - Facility must remain closed untill appraises  from Valley Spritary District are intained.  - Opmide pump ticket and invoice from plumber.  Contact our Department once the issue shas  been resolved (740) 363-8380.		
- No sendage back up was observed inside facility - Ensure All Employees are aware of pest management procedurast practices.  - Owner of the facility must come to our Office at 47958 trabiast, sto. I India for an office at hearing.  - Facility ment remain closed untill approveds toom vailey senitary District are Additioned Opmide pump ticket and invoice from plumber.  Contact our Department once the issue chas been resolved. (740) 363-8280.	to the outline.	
- No sendage back up was observed inside facility - Ensure All Employees are aware of pest management procedurast practices.  - Owner of the facility must come to our Office at 47958 trabiast, sto. I India for an office at hearing.  - Facility ment remain closed untill approveds toom vailey senitary District are Additioned Opmide pump ticket and invoice from plumber.  Contact our Department once the issue chas been resolved. (740) 363-8280.	- faillety rollin farly closes. 5	Sto per another
- No sendage back up was observed inside facility - Ensure All Employees are aware of pest management procedurast practices.  - Owner of the facility must come to our Office at 47958 trabiast, sto. I India for an office at hearing.  - Facility ment remain closed untill approveds toom vailey senitary District are Additioned Opmide pump ticket and invoice from plumber.  Contact our Department once the issue chas been resolved. (740) 363-8280.	- April Holaisa (Aver Coroch) is any	vare of the six retire
- No sendage back up was observed inside facility - Ensure All Employees are aware of pest management procedurast practices.  - Owner of the facility must come to our Office at 47958 trabiast, sto. I India for an office at hearing.  - Facility ment remain closed untill approveds toom vailey senitary District are Additioned Opmide pump ticket and invoice from plumber.  Contact our Department once the issue chas been resolved. (740) 363-8280.	- A DUMBET Was Called to tind on	+ where Dipes
- Divner & the facility must come to our Office at 47958 trabia st., Ste. A India for an office Measing  - Facility must remain closed untill approximals from Valley Dinitary District are Stained - Opmide pump ticket and invoice from plumber.  Contact our Department once the issue shees been resolved. (740) 363-8386	are clogging	
- Divner & the facility must come to our Office at 47958 trabia st., Ste. A India for an office Measing  - Facility must remain closed untill approximals from Valley Dinitary District are Stained - Opmide pump ticket and invoice from plumber.  Contact our Department once the issue shees been resolved. (740) 363-8386	- NO sewage back up was observe	dinside facility
- Divner & the facility must come to our Office at 47958 trabia st., Ste. A India for an office Measing  - Facility must remain closed untill approximals from Valley Dinitary District are Stained - Opmide pump ticket and invoice from plumber.  Contact our Department once the issue shees been resolved. (740) 363-8386	- Ensure All Employees are awa	re a pest managemen
47958 trabia st., ste. A Indio for an office hearing  - Facility must remain closed untill approximes from Valley Sonitary District are obtained - Upmide pump ticket and invoice from plumber.  Contact our Department once the issue chair been resolved. (740) 363-8280	procedures/practicis.	
Measing  - Facility must remain closed untill approxies  from Valley Sonitary District are Astained  - Opmide pump ticket and invoice from plumber.  Contact our Department once the Issue how  been resolved. (740) 363-8280	- Owner of the facility must come	e to our Office at
- Lemide pump ticket and invoice from plumber.  Contact our Department once the issue shows been resolved. (740) \$23-8286  RECEIVED BY: X. Marshall View	47958 trabia & Ste A Indi	o for an office
- Lemide pump ticket and invoice from plumber.  Contact our Department once the issue shows been resolved. (740) \$23-8286  RECEIVED BY: X. Marshall View	- hearing	0 20
- Lemide pump ticket and invoice from plumber.  Contact our Department once the issue shows been resolved. (740) \$23-8286  RECEIVED BY: X. Marshall View	Facilities according to the state	12 till 0 2 2 2 1 2 2
- Opmide pump ticket and invoice from plumber.  Contact our Department once the issue chais been resolved. (740) 363-82806  RECEIVED BY: X Museul View		
Contact our Department once the issue chais been resolved (740) 863-8280	- Demide Disan ticket and invoice	of from dumber
RECEIVED BY: X. Questil Vincol	- The company of the	Distribution of the second of
RECEIVED BY: X. Questil Vincol	Contact our Department once +	he issue has
X / muster prin	been resolved (740) 863-82	<i>3</i> 7
X / muster prin		
X / muster prin	RECEIVED BY: V	
	DEH-32 (REV 7/15)	CANARY-Owner